



中国船级社  
CHINA CLASSIFICATION SOCIETY

证书编号/Certificate No.  
HB22PTB00045

型式认可证书  
CERTIFICATE OF TYPE APPROVAL

兹证明本证书所述制造厂具备按照下列标准的要求生产本证书所列产品的能力和条件。

This is to certify that the manufacturer stated in the certificate meets the requirements of the standards listed below and is available with the ability and conditions to produce the products described in the certificate.

制造厂/Manufacturer

motcom GmbH

地址/Address

Kurt-Schumacher-Str.28-30, 66130, Saarbrücken, Germany

产品名称/Product

油雾浓度探测及报警装置  
Oil Mist Detection and Alarm Equipment

认可标准/Approval Standard

- 中国船级社《钢质海船入级规范》（2022）及其变更通告 第3篇第9章  
Chapter 9, Part Three of China Classification Society Rules for Classification of Sea-Going Steel Ships 2022 and its Change Notices
- IACS UR M67 (Rev. 3 Rev. 2 Feb, 2015) 《曲轴箱油雾探测及报警装置型式试验程序》  
IACS UR M67 (Rev. 3 Rev. 2 Feb, 2015) Type Testing Procedure for Crankcase Oil Mist Detection and Alarm Equipment

用于/Intended for

船舶与海上设施/Ships and Offshore Installations

产品明细/Product Description

油雾浓度探测及报警装置/Oil Mist Detection and Alarm Equipment (M0001)

名称/Name	属性(值)/Value	单位/Unit
型号/Type	SiCOMS / OCom	
油雾浓度测量范围/Oil Mist Concentration Assessment Capability	see additional pages	mg/l

批准的图纸/Approved Drawings

图纸批准号/Drawings Approval No.: NP19PPP04228, NP22PPP02733

证书有效期至/This Certificate is valid until 2026年08月27日/Aug. 27, 2026

发证机构/Issued by 中国船级社汉堡分社  
CCS Hamburg Branch

签发日期/Date 2022年12月20日  
Dec. 20, 2022

本证书根据中国船级社规范和相关规定签发。所有证书页为一个整体，必须同时使用。纸质证书每页均须由本社盖章方为有效，电子证书含数字签名方为有效，本证书复印件无效。任何单位和个人均不应摘录或节选本证书的部分内容。有关方对所持证书的真实性有疑问时，可以向本社检验机构咨询。This Certificate is issued pursuant to the Rules of the Society and related regulation. All pages of the certificate are taken as a whole and are used simultaneously. No paper certificate page is valid without bearing the stamp of the Society, no electronic certificates is valid without the digital signature, and no copied form of the certificate is regarded as valid. Any part of the certificate is not to be extracted or abridged by any unit or individual in any form. Related parties who are doubted about the authenticity of the certificate may inquire of the Society or its offices.



Form No: T01.

联系方式/Contact Us, 见本社官方网站/See official web site of the Society (<http://www.ccs.org.cn>)

UTN:P022-38880927

**产品认可试验报告/ Approval Test Report**

试验报告编号/ Test Report No. : see additional pages  
试验报告日期/ Test Report Date :

**认可后的产品检验方式/ Method of Product Inspection after Approval**

按规范只认可不进行产品检验的产品/The product approved only in term of the rules:

认可后的产品检验由制造厂按本社批准的产品检验计划进行检验, 经检验合格后由制造厂签发合格证明, 并连同该产品的本社认可证书复印件一并交付用户, 制造厂对产品符合公约、法规、本社规范和本社认可的标准规定负责。

After approval, product inspection should be carried out by the Manufacturer in accordance with the product inspection scheme approved by the Society. Upon satisfactory inspection, and the Quality Certificate issued by the Manufacturer should be provided to the purchaser together with the copy of the approval certificate issued by the Society. The manufacturer should take responsibility for the product being in compliance with the convention, statutory regulation, the Society rules and the standard accepted by the Society.

**认可保持条件/ Maintenance Requirements of Approval**

1. 型式认可后, 如果产品及其重要零部件的设计、所用材料或制造方法有所改变, 且影响到产品的主要特性、特征; 或产品的性能指标有所更改, 且超过认可的范围, 则有关图纸和文件应经检验机构审批。并在检验机构认为必要时, 经本社检验人员见证有关试验和进行检查, 其结果应能证实仍符合认可条件。

After type approval, if there are changes to the design, materials used or manufacturing method of the product and important components and such changes affect major characteristics and properties of the product, or property indexes of the product are changed and exceed the scope of approval, related drawings and documents are to be examined and approved by the concerned survey office. Where deemed necessary by the survey office, the surveyor to the Society will go to witness relevant tests and conduct inspection and the results should be able to demonstrate compliance with the approval conditions.

2. 工厂的质量管理体系应保持有效运行, 并且与认可时一致。如果质量管理体系发生改变, 应经原体系认证机构审核并报本社批准。

The quality management system of the factory shall be ensure effective operation, and shall be the same as the situation of approval. If there are any changes to the quality management system, auditing of the original certification organization for quality management system and the society's approval shall be obtained.

3. 认可证书有效期内, 如果出现可能导致本社取消认可的情况, 工厂应及时采取有效的纠正措施。

Within the validity of the approval certificate, if cases occur that may cause the Society to withdraw the approval, the manufacturer should take corrective actions in a prompt and effective manner.

4. 在认可证书有效期内, 本社检验人员可在未经事先通知的情况下对工厂的产品制造过程进行审核, 以验证产品的生产是否符合业经本社批准的图纸和文件。工厂应予以配合。

Within the validity of the approval certificate, the surveyor to the Society may pay unannounced audit to the manufacturing process of the product in order to confirm whether it is in compliance with the drawings and documents approved by the Society. The factory should provide an active cooperation and necessary for the surveyor.

5. 如果属于获得型式认可B 模式证书, 且无需颁发船用产品证书/等效证明文件的情况, 证书获得者应接受本社每年一次的定期审核, 定期审核日为认可证书期满之日对应的每一周年日, 检查工作应在周年日的前后三个月内进行。

If belong to the situation of the product has type approval mode B certificate, and marine product certificate/equivalent document is not necessary, those who have obtained the certificate should be subject to periodical audit every year. The date of periodical audit shall be each anniversary date which corresponds to the date of expiry of the relevant certificate and the periodical audit shall be done within a time span of three months before and after the annual surveillance date.

**备注/Remarks**

本证书由原型式认可证书（No. HB19PTB00047）变更并换新。

This certificate is modified and renewed from the previous Type Approval Certificate No. HB19PTB00047.

本社已审核了产品厂无石棉声明，但本社的审核不免除产品厂按照合同关系向订货方保证产品无石棉的责任。

The declaration of asbestos-free submitted by manufacturer has been reviewed by the Society. However, liability of the manufacturer to guarantee the products are asbestos-free to purchaser under contract will not be exempted.

**中国船级社汉堡分社**

**CCS Hamburg Branch**

注：本证书含有附页，共2页

Note: The certificate is attached with additional 2 page(s)

## 1. Product Description:

Name	Oil mist detection systems
Type	SiCOMS / OCom
Power Source	DC 24 V
Oil Mist Concentration Assessment Capability	Sensitivity Level 1...10, adjustable in 10 steps, from 0.2 to 10 mg/l
Working Temperature	0-70°C
Firmware / Software version	V3.XX (Sensor) V2.XX (Evaluator) V2.XX (Remote Monitoring Unit)
Explosion-Proof Marking	It has ATEX certificate, such as follow: II (2)G [Ex ia Gb] IIA, II 2G Ex ia IIA T4 Gb IECEX Certificate of Conformity No.: BVS 07 ATEX E 076X Issuing Body: DEKRA EXAM GmbH; II (2)G [Ex ia Gb] IIA, II 2G Ex ia IIA T4 Gb IECEX Certificate of Conformity No.: BVS 13 ATEX E 116X Issuing Body: DEKRA EXAM GmbH.

## Systems composition:

Components	Description
Evaluator (OCMEV)	- Connects up to 16 sensors via redundant serial bus system - 3 isolated relay contacts with wire-break protection 33kOhm (System Ready, Main Alarm, Pre-Alarm) - RS485, Modbus, CAN (optional) - Degree of protection: IP65
Remote Monitoring Unit	- Connects up to 8 different SiCOMS/OCom systems and connects to the evaluator by Modbus or CAN connection.
Sensor: SiSe/OC 20 SiSe/OC 20 EX SiSe/OC 16 SiSe/OC 16 EX SiSe/OC 14 SiSe/OC 14 EX	- Finger-shaped optical sensor with system redundancy for HFO + Diesel and for Gas + Dial Fuel Engines - Reaction time < 1 s
SOG 65 for SiSe/OC 20 SOG 53 for SiSe/OC 16 SOG 24 for SiSe/OC 14	- Splash-Oil-Guard prevents the sensor from being soiled with splash oil, but allows oil mist and water vapour to enter.
Diffusor for SOG 24,53 or 65	- Add-on for SOG sensors which are installed near or in a section with high splash oil concentration.

## 2. Approval Test Report

No	Test Report No.	Test Report Date	Laboratory / Address
1	1-0116/20-01-02_A	2020.03.31	CTC advanced GmbH / Untertuerkheimer Str. 6-10, 66117 Saarbruecken, Germany
2	Type test M67 Rev.2	2019.11.28	Motcom GmbH / Kurt-Schumacher-Str. 28-30, 66130 Saarbruecken, Germany
3	1-7051/13-01-02-B	2015.08.07	CETECOM ICT Services GmbH / Untertuerkheimer Str. 6-10, 66117 Saarbruecken, Germany
4	1-7051/13-01-03-A	2014.08.26	
5	1-7051/13-01-04	2014.03.13	

## 3. Application/Limitation:

Sensitivity levels 8, 9 and 10 shall be blocked to ensure that alarm setpoint and sensitivity requirements are according to IACS UR M67.

The Ex-Proof parameters of the approved products originate from Ex- Certificate received from

manufacturer, not approved by CCS.

The above mentioned devices can be installed with an Ex-approval as well as without Ex-approval according to the field of application.

If the device is used for explosive-proof purposes, the explosion-proof certificate is essential, and the Type Approval Certification will be invalid if the Ex-approved products do not hold valid Ex Certificate. For Ex-devices it is absolutely necessary to affix the above ignition protection label to the device.

Whereas an application in non-explosive area does not require an Ex-certificate.

All changes in software are to be recorded by the manufactory.

Significant software changes should be notified to the China Classification Society and relevant documents should be submitted for assessment. If the assessment confirms that the change will affect the function required in the rules, relevant type test should be carried out again, and type approval will be modified.